Certificate number: 73734/A1 MED File number: ACI1330/107/001 Item number: MED/3.18b

item number. MED/3.160

USCG Module B number: 164.112 / EC2690 This certificate is not valid when presented without the full attached schedule composed of 7 sections www.veristar.com

Notified Body 2690 - MARINE EQUIPMENT DIRECTIVE 2014/90/EU

Marine & Offshore

# EC TYPE EXAMINATION CERTIFICATE

as per Module B of Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 as transposed in the French Regulations and Commission Implementing Regulation (EU) 2022/1157 of 4 July 2022

This certificate is issued to:

AXALTA COATING SYSTEMS FRANCE S.A.S.

**MONTBRISON - FRANCE** 

for the type of product

## SURFACE MATERIALS AND FLOOR COVERINGS WITH LOW FLAME-SPREAD CHARACTERISTICS: PAINT SYSTEMS

Alesta® AP / Teodur® AP

#### **Requirements:**

SOLAS 74 convention as amended, Regulations II-2/3, II-2/5, II-2/6, II-2/9, X/3 IMO Res. MSC.36(63) -(1994 HSC Code)- as amended, 7 IMO Res. MSC.97(73) -(2000 HSC Code)- as amended, 7 IMO Res. MSC.307(88) (2010 FTP Code) IMO MSC/Circ.1120

This certificate is issued on behalf of the French Maritime Authorities to attest that Bureau Veritas Marine & Offshore did undertake the relevant type-examination procedures for the product identified above which was found to comply with the relevant requirements of the Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 as transposed in the French Regulations.

#### This certificate will expire on: 21 Dec 2027

For Bureau Veritas Marine & Offshore Notified Body 2690, At BV LYON, on 07 Jun 2023, Yann Kremplewicz

This certificate was created electronically and is valid without signature



This certificate does not allow to issue the Declaration of Conformity and to affix the mark of conformity (wheelmark 🕥) to the products corresponding to this type. To this end, the production-control phase module (D, E or F) of Annex II of the Directive is to be complied with and controlled by a written inspection agreement with a notified body.

This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with Bureau Veritas Marine & Offshore. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. Bureau Veritas Marine & Offshore is designated by the French Maritime Authority as a "notified body" under the terms of the French Regulations Division 140 Chapter 140-2. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site www.veristar.com. Any Person not a party to the contract pursuant to which this document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.





# THE SCHEDULE OF APPROVAL

#### **<u>1. PRODUCT DESCRIPTION:</u>**

#### Alesta® AP / Teodur® AP

- "Alesta® AP Polyester Architecture AE Extra Matt Anodic" (density 1.2-1.5 g/cm3)
- "Alesta® AP Polyester Architecture AE Fine Texture" (density 1.2-1.7 g/cm<sup>3</sup>)
- "Alesta® AP Polyester Architecture AE Matt" (density 1.2-1.7 g/cm<sup>3</sup>)
- "Alesta® AP Polyester Architecture AE Gloss" (density 1.2-1.7 g/cm<sup>3</sup>)
- "Alesta® AP Polyester Architecture AE Semi Gloss" (density 1.2-1.7 g/cm3)
- "Teodur® AP Polyester Architecture AE Matt" (density 1.2-1.7 g/cm<sup>3</sup>)
- "Teodur® AP Polyester Architecture AE Semi Gloss" (density 1.2-1.7 g/cm<sup>3</sup>)

Paint composed of polyester resin and hardeners (65~80%), mineral or organic pigments and mineral fillers (25~35%) and additives (5%).

Tested colour: Black (AE Matt) - for alternative colours, see limitation §4.6

Nominal density: 1.2-1.7 g/cm<sup>3</sup> (as declared by the Manufacturer)

Thickness:  $(70 \pm 10) \,\mu\text{m}$ 

Tested sprayed on 1 mm thick aluminium sheet.

### 2. DOCUMENTS AND DRAWINGS:

Technical data sheets Version 02/2021.

### **<u>3. TEST REPORTS:</u>**

3.1 - Test report N° P223180 - Document DEC/1 dated 22/07/2022, as per IMO 2010 FTP Code Annex 1 Part 5, from LNE, France.

3.2 - Test report N° EFR-22-HC-001668 Revision 2 dated 03/11/2022, as per ISO 1716:2018, from Efectis, France.

3.3 - Laboratory Note Ref. EFR-22-001668 dated 02/11/2022, from Efectis, France.

### 4. APPLICATION / LIMITATION:

4.1 - The fitting aboard should be the same as used for the test.

4.2 - Approved material is considered as having low flame spread characteristics (as per IMO 2010 FTP Code Part 5).

4.3 - In application of FTP Code 2010 Annex 2 § 2.2, the product is expected to satisfy the requirement of smoke & toxicity of IMO 2010 FTP Code Part 2 without further testing.

4.4 - Calorific value is less than 45 MJ/m<sup>2</sup> as per ISO 1716.

4.5 - Acceptable for use on any metallic substrate having a thickness of at least 0.75 mm.

4.6 - In application of the IMO 2010 FTP Code Annex 1 Part 5 Appendix 4 §2.6, alternative colours (same composition, only colour variation) may be used provided that the organic content is less and colour brighter than the one tested.

#### **5. PRODUCTION SURVEY REQUIREMENTS:**

5.1 - This certificate alone does not allow the applicant to issue the Declaration of Conformity and to affix the mark of conformity (wheelmark) to the products corresponding to this type. To this end, the production-control phase module D Production Quality Assurance or module E Product Quality Assurance or module F Product Verification of Annex II of the Directive is to be complied with and controlled by a written inspection agreement with a Notified Body.

5.2 - For information concerning the production phase modules, **AXALTA COATING SYSTEMS FRANCE S.A.S.** has declared the following manufacturing sites:

Axalta Coating Systems France S.A.S. 108 Impasse de la Croix Meyssant - BP 33 42600 Savigneux FRANCE

Axalta Powder Coating Systems UK Limited Whessoe Road DL3 0XH Darlington UNITED KINGDOM Axalta Coating Systems Germany GmbH & Co. KG

Siemensstraße 4 84051 Essenbach-Altheim Germany Axalta Boya Sistemleri Sanayi ve Ticaret Limited Sirketi Velikoy Organize Sanayi Bolgesi 1.Cadde No:5 59500 Cerkezkoy Tekirdag TURKEY

> Axalta Powder Coating Systems Nordic AB Södra Varvsgatan 23 - Box 520 SE-593 25 Västervik SWEDEN

#### **6. MARKING OF PRODUCT:**

6.1 - Reference is made to MED 2014/90/EU chapter 2.

In particular Article 10.3 specifies that the wheelmark shall be followed by the identification number of the Notified Body involved in the production control phase (module D, E or F) and by the year in which the mark is affixed (4 digits or last 2 digits).

6.2 - In pursuance of the EU/US MRA+, and in accordance with the Council Decision 2004/425/EC of 21 April 2004 amended by Decision 1/2018 of 18 February 2019, the product(s) marked as per MED 2014/90/EU may be marked with the USCG conformity marking as authorized by the Notified Body undertaking surveillance module.

#### 7. OTHERS:

7.1 - It is **AXALTA COATING SYSTEMS FRANCE S.A.S.**'s responsibility to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.

7.2 - This Certificate supersedes EC Type Examination Certificate N° 73734/A0 MED issued on 21/12/2022 by the Society.

\*\*\* END OF CERTIFICATE \*\*\*