

**Audurra™ Pro Flex Assembly Gloves****PERSONAL PROTECTION****Description:**

The Audurra Pro Flex Assembly Gloves have a micro-foam-nitrile coating that enables 360° breathability and thus ensures a comfortable wearing climate. The special micro-foam structure ensures excellent grip in both dry and damp conditions. The ultra-thin coating also achieves a particularly high tactile sensitivity, which makes precise work easier. The polyester backing material ensures excellent dexterity and at the same time supports the high wearing comfort. The seamless knitted glove also offers optimum flexibility and adapts ergonomically to the hand, ensuring comfortable working even during longer uses.

Available in:

Article number	Sizes	Packing	Packing unit
D15426323	S / 7	12 pairs in a poly-bag	120 pairs in a carton
D15426324	M / 8	12 pairs in a poly-bag	120 pairs in a carton
D15426325	L / 9	12 pairs in a poly-bag	120 pairs in a carton
D15426326	XL / 10	12 pairs in a poly-bag	120 pairs in a carton
D15426327	2XL / 11	12 pairs in a poly-bag	120 pairs in a carton

Audurra™ Pro Flex Assembly Gloves

PERSONAL PROTECTION

Features:

- Available sizes: 7/S, 8/M, 9/L, 10/XL, 11/2XL
- Material: 13-Gauge-Polyester black liner with black nitrile micro-foam coating
- Liner composition: 100% Polyester
- Glove composition: Liner: 74 %, Coating: 26 %
- AQL: 1,5

Storage:

Store at 5°C to 35°C in a dry and dark place in the original packaging.

Safety certification:

EN 388:2016 +A1:2018  4X31A	Abrasion resistance - Level 4 Blade cut resistance - Level X Tear resistance - Level 3 Puncture resistance - Level 1 TDM cut resistance - A	EN 407 : 2020  X1XXXX	CATEGORY							CAT 1	☐	CAT 2	☒	CAT 3	☐	
			Level of performance for Material tested with EN ISO 13977													
			Cut rating		Level A	Level B	Level C	Level D	Level E	Level F						
TDM Cut resistance (N)		2	5	10	15	22	30									



Audurra™ Pro Flex Assembly Gloves

PERSONAL PROTECTION

Sizing / glove parameters:

DPL SIZES			07	08	09	10	11
Total length	L1	± 10 mm	230	240	255	260	265
Palm width	B2	± 10 mm	90	95	103	108	115
Wrist width	B1	± 5 mm	75	78	80	84	86

