

## Audurra™ Sanding Sponge Flex

### SANDING

#### Description:

The Standard Pad with extra soft carrier material adapts perfectly to all profiled and rounded workpieces and exhibits a very low clogging tendency in applications with varnish, filler and paint. These characteristics ensure an even and perfect abrasive pattern without scratching. The Standard Pad can also be used when moist for special applications.



#### Features:

- Color coded for easy identification
- No risk of sanding through thanks to pressure equalizing foam
- Highly adaptable to contours, curves and profiles
- Low clogging
- Can be used many times
- Consistent performance throughout the life of the product
- May be used wet or dry

#### Available in:

Description	Article number	Grade (Foam color)	Dimensions	Packaging unit
Audurra Sanding Sponge Flex	D15352390	Fine (yellow)	120 x 98 x 13 mm	10 pieces = 1 box
	D15352391	Superfine (green)	120 x 98 x 13 mm	10 pieces = 1 box
	D15352392	Ultrafine (blue)	120 x 98 x 13 mm	10 pieces = 1 box


## Audurra™ Sanding Sponge Flex

### SANDING

#### Product profile:

Grit type:	Aluminum oxide
Grit range:	Fine; Superfine; Ultrafine
Backing:	PU foam (soft)
Coating:	Mechanical / two-sided
bonding:	Elastic binder



#### Low clogging thanks to the 3D effect:



**Audurra™ Sanding Sponge Flex**

**SANDING**

**Grid Range Chart:**



**Safety recommendation:**

- Follow the general FEPA safety recommendations (<https://www.fepa-abrasives.com/abrasive-safety/documents/general-leaflet>)
- Use eye and face protection
- Use an effective dust extraction unit or wear a fine dust mask