

# MATERIAL SAFETY DATA SHEET

## SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

Product Identifier ..... **NAP-GARD<sup>®</sup> 7-1854 GOLD F. C. REPAIR BASE**

Product Code..... 851-208

Product Use ..... Exterior coating for pipelines.

Manufacturer's Name..... **SPECIALTY POLYMER COATINGS, INC.**

Street Address ..... #101 – 20529 – 62nd Avenue                      City/Province/State: Langley, BC

Postal/Zip Code..... V3A 8R4

Country..... CANADA

24 hour Emergency Telephone Number ..... CANUTEC: 613-996-6666

INFORMATION NUMBER..... 604-514-9711

Supplier's Name..... **DUPONT POWDER COATINGS U.S.A. INC.**

Street Address ..... 9800 Genard Road                                      City/Province/State: Houston, TX

Postal/Zip Code..... 77041

Country..... USA

24 hour Emergency Telephone Number ..... CHEMTREC: 1-800-424-9300

INFORMATION NUMBER..... 713-939-4000

MSDS Preparation Date.... March 20, 2003

MSDS Revision Date ..... January 22, 2013

MSDS Prepared by..... Technical Department of Specialty Polymer Coatings, Inc. with information provided by suppliers of raw materials used in the manufacture of Nap-Gard<sup>®</sup> 7-1854 Gold F.C. Repair Base.

Telephone Number..... 604-514-9711

## SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	%	CAS #	Lethal Dose 50% Species & route	Lethal Conc. 50% Species
Epoxy Resin	30-60	28064-14-4	>2000 mg/kg Rat Oral	N/AV
Nepheline Syenite	1-15	37244-96-5	N/AV	N/AV
Potassium Alumino Silicate	1-10	12001-26-2	N/AV	N/AV
Barium Sulfate	10-15	7727-43-7	>5000 mg/kg Rat Oral	N/AV
Glycidyl Neocanate	1-5	26761-45-5	9600 mg/kg Rat Oral	N/AV
Modified Diglycidyl Ether	1-5	68909-14-8	N/AV	N/AV
Siloxanes and Silicones Reaction Products with Silica	1-5	67762-90-7	N/AV	N/AV
Neopentyl Glycol Diglycidyl Ether	1-5	17557-23-2	2150 mg/kg Rabbit Skin >2000 mg/kg Rat Oral	N/AV

## SECTION 3 – HAZARDS IDENTIFICATION

Route of Entry ..... Skin, eyes, inhalation, ingestion.

Skin Contact ..... May cause skin burns. May cause allergic skin reactions.

Skin Absorption ..... Can be absorbed through the skin.

Eye Contact ..... Causes eye irritation.

Inhalation ..... May cause nose and throat irritation. May cause lung injury and / or burns.

Ingestion ..... Harmful if swallowed.

## SECTION 4 – FIRST AID MEASURES

## Specific Measures:

Inhalation ..... Remove to fresh air. If breathing has stopped, a trained person should perform artificial respiration. Get Medical attention.

Ingestion ..... Get Medical attention **IMMEDIATELY**.

Eye Contact ..... Flush with water for at least 15 minutes, hold eyelids apart to ensure complete irrigation of all eye and lid tissue, and get Medical attention.

Skin Contact ..... Wash with water and mild soap for at least 15 minutes. Remove contaminated clothing and wash before re-use. Get Medical attention.

**CAUTION---NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

**SECTION 5 – FIRE FIGHTING MEASURES**

Flammable: Not flammable as per WHMIS.

Flammable: If Yes, under which conditions? Excessive heat, sparks and open flame.  
Surrounding fire.

Means of Extinction ..... Water spray, dry chemical, foam and Carbon Dioxide.

Special Procedures ..... Firefighters should wear the usual protective gear.  
Use Self-Contained Breathing Apparatus.

Flash Point and Method .... >100°C (212°F) SETA.

Upper Flammable Limit (% by volume) ..... N/AV

Lower Flammable Limit (% by volume) ..... N/AV

Autoignition Temperature ..... N/AV

Explosion Data - Sensitivity to Impact ..... N/AP

Explosion Data - Sensitivity to Static Discharge .... N/AP

Hazardous Combustion Products .... Oxides of Carbon (CO, CO<sub>2</sub>), Oxides of Nitrogen, Aldehydes, acids.

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Leak and Spill Procedures..... Remove all sources of ignition (flames, sparks, etc.). Wear appropriate safety equipment. Provide adequate ventilation. Soak up spills with inert absorbent materials and place in closed containers. Prevent run-off from reaching storm or sewer drains.

**SECTION 7 – HANDLING AND STORAGE**

Handling Procedures and Equipment..... All equipment must be grounded. Avoid inhalation, skin and eye contact. Wear appropriate Personal Protective Equipment as listed in Section 8. Maintain good personal hygiene and wash thoroughly after using, particularly before eating or going on breaks.

Storage Requirements ..... Store in a cool, dry, well-ventilated area away from incompatible materials and all sources of ignition. Keep in a tightly sealed container when not in use.

## SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

## Exposure Limits:

Hazardous Ingredients	CAS #	ACGIH TLV (TWA)
Epoxy Resin	28064-14-4	N/AV
Nepheline Syenite	37244-96-5	5 mg/M3
Potassium Alumino Silicate	12001-26-2	10 mg/M3 Total Dust
Barium Sulphate	7727-43-7	10 mg/M3 Total 5 mg/M3 Respirable
Glycidyl Neocanate	26761-45-5	N/AV
Modified Diglycidyl Ether	68909-14-8	N/AV
Siloxanes and Silicones Reaction Products with Silica	67762-90-7	10 mg/M3
Neopentyl Glycol Diglycidyl Ether	17557-23-2	N/AV

**Engineering Controls:** Provide general dilution or local exhaust in volume and pattern to keep TLV of Hazardous Ingredients in Section 2 below acceptable limits. Extra ventilation should be provided in enclosed spaces.

**Personal Protective Equipment:**

- Gloves:** Chemical resistant gloves with a long cuff that will overlap the clothing sleeves should be worn when handling this product. The glove / clothing overlaps should be sealed by tape. Check with the glove manufacturer to determine the proper glove type.
- Respirator:** Wear an appropriate, properly fitted vapour respirator (NIOSH / OSHA approved) during application where vapour / mist are likely to be encountered, e.g. confined spaces and during winter construction or when the substrate is preheated. For outdoor application and areas with adequate ventilation, the use of a respirator is normally not required. Follow the respirator manufacturer's recommendations. Wear a dust respirator for any activity such as sanding or grinding of cured coating.
- Eyes:** Wear splash proof chemical safety goggles and / or face shield.
- Footwear:** Wear impervious boots.
- Clothing:** Long-sleeved clothing is to be worn over regular clothing to cover all exposed areas of arms, legs or torso during mixing and application of the coating. Breathable clothing, such as cotton or disposable coveralls, is recommended.
- Other:** Emergency eyewash and a shower should be in close proximity, where possible. A barrier cream may be used in conjunction with personal protective equipment as an additional safeguard against skin contact.

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Physical State .....	Liquid.
Odour and Appearance.....	Mild odour. Yellow viscous liquid.
Odour Threshold (ppm).....	N/AV
Specific Gravity (water=1).....	1.56
Vapour Density (air=1) .....	N/AV
Vapour Pressure (mm/Hg) .....	N/AV
Evaporation Rate (butyl acetate=1).....	N/AV
Boiling Point .....	N/AV
Freezing Point .....	N/AV
pH.....	N/AV
Coefficient of Water/oil Distribution.....	N/AV
Solubility in Water [20°C (68°F)].....	Insoluble.

**SECTION 10 – STABILITY AND REACTIVITY**

Chemical Stability .....	Yes. Product is stable in non-emergency conditions.
Incompatibility with other substances....	Yes. Oxidizing agents, acids, bases, amines.
Reactivity and under what conditions ....	Elevated temperatures.
Hazardous Decomposition Products .....	Oxides of Carbon, Oxides of Nitrogen, Aldehydes, and acids.

**SECTION 11 – TOXICOLOGICAL INFORMATION**

Route of Entry ..... Skin, eyes, inhalation, ingestion.

Effects of Acute Exposure:

Skin Contact ..... May cause skin burns. May cause allergic skin reactions.

Skin Absorption ..... Can be absorbed through the skin.

Eye Contact ..... Causes eye irritation.

Inhalation ..... May cause nose and throat irritation. May cause lung injury and / or burns.

Ingestion ..... Harmful if swallowed.

Effects of Chronic Exposure ..... May cause lung damage, skin sensitization, dermatitis, and respiratory sensitization.

Irritancy of Product ..... Refer to Effects of Acute Exposure.

Skin Sensitization ..... Refer to Effects of Acute Exposure.

Respiratory Sensitization .... Refer to Inhalation.

Carcinogenicity ..... N/AV

Reproductive Toxicity ..... N/AV

Teratogenicity ..... N/AV

Embryotoxicity ..... N/AV

Mutagenicity ..... N/AV

Name of Synergistic Products/Effects ... N/AV

**SECTION 12 – ECOLOGICAL INFORMATION**

No Data is available.

**SECTION 13 – DISPOSAL CONSIDERATIONS**

Waste Disposal... Dispose of according to Federal, Provincial, and Municipal regulations in Canada and Federal, State, and County regulations in the United States of America.

**SECTION 14 – TRANSPORT INFORMATION**

Special Shipping Information: NOT REGULATED.  
PIN: N/AP  
Proper Shipping Name: N/AP  
Class: N/AP  
PG: N/AP  
Mode: Ground (TDG) or Air (ICAO) or Ocean (IMDG)

**SECTION 15 – REGULATORY INFORMATION**

WHMIS ..... D2B.  
CEPA ..... All of the ingredients of this product are listed on the DSL.  
TSCA ..... All of the ingredients of this product are on the TSCA Inventory.

**This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.**

**SECTION 16 – OTHER INFORMATION**

**NOTE:** While Specialty Polymer Coatings, Inc. believes that the data contained herein are accurate and derived from qualified sources, the data are not to be taken as a warranty or representation for which Specialty Polymer Coatings, Inc. assumes legal responsibility. The data is offered solely for your consideration, investigation and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, Provincial / State, and Municipal / County laws and regulations.

**ABBREVIATIONS USED IN PREPARING THIS MSDS**

% - Percent	# - Number	< - Less Than	> - Greater Than	@ - At
ACGIH .....		American Conference of Governmental Industrial Hygienists		
CANUTEC .....		The Canadian Transport Emergency Centre of the Department of Transport		
C .....		Celsius		
CAS # .....		CAS Registry Number		
CEIL .....		Ceiling Limit		
CEPA .....		Canadian Environmental Protection Act, 1999		
CPR .....		Controlled Products Regulations		
DOT .....		Department of Transportation (U.S.)		
DSL .....		Domestic Substances List		
Derm-LD50 .....		Dermal Lethal Dose - 50% Death		
F .....		Fahrenheit		
FP .....		Flash Point		
g/kg .....		Grams/kilogram		
HMIS .....		Hazardous Materials Identification System		
IARC .....		International Agency for Research on Cancer		
IATA .....		International Air Transport Association		
ICAO .....		International Civil Aviation Organization		
IMDG .....		International Maritime Dangerous Goods Code		
Inhal-LC50 .....		Inhalation Lethal Concentration - 50% Death		
Kg .....		Kilogram		
Lb/gal .....		Pounds per Gallon		
LEL .....		Lower Explosive Limit		
Lethal Conc .....		Lethal Concentration (50% Death)		
Lethal Dose .....		Lethal Dosage (50% Death)		
ml/kg .....		Millilitres/kilogram		
mg/L .....		Milligrams per Litre		
mg/M3 .....		Milligrams per Cubic Metre		
mm/Hg .....		Millimetres of Mercury		
N/AP .....		Not Applicable		
N/AV .....		Not Available		
N/D .....		Not Determined		
NFPA HAZARD RATING .....		4 - Extreme, 3 - High, 2 - Moderate, 1 - Slight, 0 - None, X - Blank		
NIOSH .....		National Institute of Occupational Safety & Health		
NTP .....		National Toxicology Program		
Oral-LD50 .....		Oral Lethal Dose-50% Death		
OSHA .....		Occupational Safety and Health Administration		
PEL .....		Permissible Exposure Limit		
PIN .....		Product Identification Number		
PG .....		Packing Group		
PMCC .....		Pensky-Martens Closed Cup		
Ppm .....		Parts per million		
SARA .....		Superfund Amendments & Reauthorization Act (1986)		
SETA .....		Setaflash Closed Cup Tester		
STEL .....		Short-Term Exposure Limit		
TDG .....		Transportation of Dangerous Goods Act and Pursuant Regulations		
TLV .....		Threshold Limit Value		
TWA .....		Time Weighted Average		
TSCA .....		Toxic Substances Control Act		
WHMIS .....		Workplace Hazardous Materials Information System		

End of Material Safety Data Sheet.