



Montana Big Sky™ TH5950 Strong Wax & Grease Remover



GENERAL

DESCRIPTION

TH5950 is a strong, medium-drying surface cleaner designed specifically for removing tar, wax, oil, grease, road grime, silicone, and surface contaminants prior to sanding or bodywork.

The products referenced herein may not be sold in your market. Please consult your distributor for product availability.



APPLICATION

APPLICATION

1. Prep surface by cleaning with warm soapy water, rinse thoroughly, and allow surface to dry. If there is exposed bare steel, towel dry to prevent flash rusting.
2. Saturate a clean dry lint-free cloth with TH5950 Strong Wax & Grease Remover and apply to one panel at a time – follow using a second clean cloth to dry.
3. Note: This is a strong cleaner. Do not use on fresh paint or primers because it may dull the finish. This cleaner is not for general use as a tar and bug remover. We suggest TH5951 for daily use.

VOC REGULATED AREAS

VOC as Applied

798 grams/liter | 6.66 lbs/gallon

These directions refer to the use of products which may be restricted or require special mixing instructions in VOC regulated areas. Follow mixing usage and recommendations in the VOC Compliant Products Chart for your area.

SAFETY AND HANDLING

For industrial use only by professional, trained painters. Not for sale to or use by the general public. Before using, read and follow all label and SDS precautions. If mixed with other components, mixture will have hazards of all components.

Ready to use paint materials containing isocyanates can cause irritation of the respiratory organs and hypersensitive reactions. Asthma sufferers, those with allergies and anyone with a history of respiratory complaints must not be asked to work with products containing isocyanates.

Do not sand, flame cut, braze or weld dry coating without a NIOSH approved air purifying respirator with particulate filters or appropriate ventilation, and gloves.

Revised: May 2019

In the United States and Canada:

1.855.6.AXALTA
montanabigsky.us

